



Every Step Counts

One connected approach to venous leg ulcer care.

Effective management of a venous leg ulcer requires addressing multiple factors. Debris in the wound bed can delay healing, drainage can harm nearby skin, and underlying venous insufficiency continues to contribute to the problem. Clean. Cover. Compress. Three essential steps that work together to support healing, because every step counts.



Granudacyn®



Mepilex® Up

CLEAN

Clean the debris, disrupt what's holding healing back

COVER

Contain exudate and protect the skin from breakdown

COMPRESS

Manage the underlying venous pressure

Mepi™ Press 2
~30-40 mmHg

Mepi™ Press 2 Lite
~20-30 mmHg


FULL
COMPRESSION

ABI 0.8 - 1.3

REDUCED
ABI 0.6 - 0.8

MONITOR

Keep the dressing in place as clinically appropriate; change frequency should follow clinical judgment, the dressing IFU, and facility protocol.



Safetac
TECHNOLOGY

The Safetac® soft silicone wound contact layer minimizes skin damage and pain at dressing changes.¹

References:

1. White, R. A multinational survey of the assessment of pain when removing dressings. Wounds UK 2008;4(1):14-22.

1-800-843-8497 | www.molnlycke.us | 5445 Triangle Pkwy, Ste 400, Peachtree Corners, GA 30092

The Mölnlycke, Mepilex, Granudacyn, Mepi, and Safetac trademarks, names and logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care US, LLC, Peachtree Corners, Georgia 30092. © 2026 Mölnlycke Health Care AB. All rights reserved. 1-800-882-4582. USMM 270830 MHC-2026-000919